

## Buday László közleményjegyzéke

1. Lanyi A, Barath M, Peterfi Z, Bogel G, Orient A, Simon T, Petrovszki E, Kis-Toth K, Sirokmany G, Rajnavolgyi E, Terhorst C, Buday L, Geiszt M  
The Homolog of the Five SH3-Domain Protein (HOFI/SH3PXD2B) Regulates Lamellipodia Formation and Cell Spreading  
PLOS ONE 6:(8) Paper e23653. (2011)
2. Krause-Gruszczynska M, Boehm M, Rohde M, Tegtmeyer N, Takahashi S, Buday L, Oyarzabal OA, Backert S  
The signaling pathway of Campylobacter jejuni-induced Cdc42 activation: Role of fibronectin, integrin beta1, tyrosine kinases and guanine exchange factor Vav2.  
CELL COMMUNICATION AND SIGNALING 9:(1) p. 32. (2011)
3. Buday L, Sipeki S  
Isoenzyme Selective Phosphoinositide 3-Kinase Inhibition: What do the Stones Kill?  
CURRENT SIGNAL TRANSDUCTION THERAPY 6:(3) pp. 405-410. (2011)
4. Szekeres M, Nadasy GL, Turu G, Supeki K, Szidonya L, Buday L, Chaplin T, Clark AJL, Hunyady L  
Angiotensin II-Induced Expression of Brain-Derived Neurotrophic Factor in Human and Rat Adrenocortical Cells  
ENDOCRINOLOGY 151:(4) pp. 1695-1703. (2010)
5. Radnai L, Rapali P, Hodi Z, Suveges D, Molnar T, Kiss B, Becsi B, Erdodi F, Buday L, Kardos J, Kovacs M, Nyitray L  
Affinity, Avidity, and Kinetics of Target Sequence Binding to LC8 Dynein Light Chain Isoforms  
JOURNAL OF BIOLOGICAL CHEMISTRY 285:(49) pp. 38649-38657. (2010)
6. de Boussac H, Ratajewski M, Sachrajda I, Köblös G, Tordai A, Pulaski L, Buday L, Váradi A, Arányi T  
The ERK1/2-hepatocyte nuclear factor 4alpha axis regulates human ABCC6 gene expression in hepatocytes.  
JOURNAL OF BIOLOGICAL CHEMISTRY 285:(30) pp. 22800-22808. (2010)
7. Buday L, Tompa P  
Functional classification of scaffold proteins and related molecules.  
FEBS JOURNAL 277:(21) pp. 4348-4355. (2010)
8. Buday L, Tompa P  
Accessory proteins in signal transduction: scaffold proteins and beyond.  
FEBS JOURNAL 277:(21) p. 4347. (2010)
9. Borbely G, Szabadkai I, Horvath Z, Marko P, Varga Z, Breza N, Baska F, Vantus T, Huszar M, Geiszt M, Hunyady L, Buday L, Orfi L, Keri G  
Small-molecule inhibitors of NADPH oxidase 4.  
JOURNAL OF MEDICINAL CHEMISTRY 53:(18) pp. 6758-6762. (2010)
10. Oh MA, Choi S, Lee MJ, Choi MC, Lee SA, Ko W, Cance WG, Oh ES, Buday L, Kim SH, Lee JW  
Specific tyrosine phosphorylation of focal adhesion kinase mediated by fer tyrosine kinase in suspended hepatocytes  
BIOCHIMICA ET BIOPHYSICA ACTA-MOLECULAR CELL RESEARCH 1793:(5) pp. 781-791. (2009)
11. Hegyi H, Buday L, Tompa P  
Intrinsic structural disorder confers cellular viability on oncogenic fusion proteins  
PLOS COMPUTATIONAL BIOLOGY 5:(10) Paper e1000552. (2009)
12. Donkó A, Orient A, Szabó PT, Németh G, Vántus T, Kéri G, Orfi L, Hunyady L, Buday L, Geiszt M  
Detection of hydrogen peroxide by lactoperoxidase-mediated dityrosine formation  
FREE RADICAL RESEARCH 43:(5) pp. 440-445. (2009)
13. Balazs A, Csizmok V, Buday L, Rakaacs M, Kiss R, Bokor M, Udupa R, Tompa K, Tompa P  
High levels of structural disorder in scaffold proteins as exemplified by a novel neuronal protein, cask-interactive protein1  
FEBS JOURNAL 276:(14) pp. 3744-3756. (2009)
14. Buday L, Downward J

Many faces of ras activation

BIOCHIMICA ET BIOPHYSICA ACTA-REVIEWS ON CANCER 1786:(2) pp. 178-187. (2008)

15. Buday L, Downward J  
Roles of cortactin in tumor pathogenesis.  
BIOCHIMICA ET BIOPHYSICA ACTA-REVIEWS ON CANCER 1775:(2) pp. 263-273. (2007)
16. Buday L  
Ras activation  
In: Schwab M (szerk.)  
Encyclopedia of Cancer  
Berlin ; Heidelberg ; New York: Springer-Verlag, 2007. pp. 2250-2252.  
vol. 4.
17. Buday L  
Involvement of the Nck adaptor molecule in the regulation of T lymphocyte activation  
In: Noah Isakov (szerk.)  
Lymphocyte Activation and Signal Transduction  
Kerala: Transworld Research Network, 2007. pp. 173-181.  
(ISBN:9788178952819)
18. Turu G, Szidonya L, Gáborik ZS, Buday L, Spät A, Clark AJL, Hunyady L  
Differential beta-arrestin binding of AT(1) and AT(2) angiotensin receptors  
FEBS LETTERS 580:(1) pp. 41-45. (2006)
19. Illes A, Enyedi B, Tamas P, Balazs A, Bogel G, Buday L  
Inducible phosphorylation of cortactin is not necessary for cortactin-mediated actin polymerisation.  
CELLULAR SIGNALLING 18: pp. 830-840. (2006)
20. Illes A, Enyedi B, Tamas P, Balazs A, Bogel G, Melinda, Lukacs, Buday L  
Cortactin is required for integrin-mediated cell spreading.  
IMMUNOLOGY LETTERS 104: pp. 124-130. (2006)
21. Varnai P, Bonda T, Tamas P, Toth B, Buday L, Hunyady L, Balla T  
Selective cellular effects of overexpressed pleckstrin-homology domains that recognize PtdIns(3,4,5)P3 suggest their interaction with protein binding partners.  
JOURNAL OF CELL SCIENCE 118: pp. 4879-4888. (2005)
22. Tompa P, Szasz C, Buday L  
Structural disorder throws new light on moonlighting.  
TRENDS IN BIOCHEMICAL SCIENCES 30: pp. 484-489. (2005)
23. Elkind N B, Szentpetery Z, Apati A, Ozvegy Laczka C, Varady G, Ujhelly O, Szabo K, Homolya L, Varadi A, Buday L, Keri G, Nemet K, Sarkadi B  
Multidrug transporter ABCG2 prevents tumor cell death induced by the epidermal growth factor receptor inhibitor Iressa (ZD1839, Gefitinib).  
CANCER RESEARCH 65:(5) pp. 1770-1777. (2005)
24. Gujdar A, Sipeki S, Bander E, Buday L, Farago A  
Protein kinase C modulates negatively the hepatocyte growth factor-induced migration, integrin expression and phosphatidylinositol 3-kinase activation.  
CELLULAR SIGNALLING 16: pp. 505-513. (2004)
25. Tamas P, Solti Z, Bauer P, Illes A, Sipeki S, Bauer A, Farago A, Downward J, Buday L  
Mechanism of epidermal growth factor regulation of Vav2, a guanine nucleotide exchange factor for Rac.  
JOURNAL OF BIOLOGICAL CHEMISTRY 278:(7) pp. 5163-5171. (2003)
26. Gujdar A, Sipeki S, Bander E, Buday L, Farago A  
Phorbol ester-induced migration of HepG2 cells is accompanied by intensive stress fibre formation, enhanced integrin expression and transient down-regulation of p21-activated kinase 1.  
CELLULAR SIGNALLING 15: pp. 307-318. (2003)
27. Buday L, Wunderlich L, Tamas P

The Nck family of adapter proteins: regulators of actin cytoskeleton.  
CELLULAR SIGNALLING 14: pp. 723-731. (2002)

28. Tamas P, Solti Z, Buday L  
Membrane-targeting is critical for the phosphorylation of Vav2 by activated EGF receptor.  
CELLULAR SIGNALLING 13: pp. 475-481. (2001)
29. Buday L  
Ras activation  
In: Schwab M (szerk.)  
Encyclopedic reference of cancer  
Berlin ; Heidelberg ; New York: Springer-Verlag, 2001. pp. 749-751.  
(ISBN:978-3-540-66527-4)
30. Buday L  
Adaptor proteins in tyrosine kinase signalling pathways  
In: Heilmeyer L, Friesdrich P (szerk.)  
Protein modules in cellular signalling: Proceedings of the NATO Advanced Study Institute on Protein  
Modules in Cellular Signalling, 13 - 22 September 2000, St. Martin de Londres, France  
Amsterdam ; London ; New York ; Tokyo: IOS Press, 2001. pp. 3-11.  
(NATO science series; Series A, Life sciences; 318.)  
(ISBN:1 58603 180 5)
31. Wunderlich L, Goher A, Farago A, Downward J, Buday L  
Requirement of multiple SH3 domains of Nck for ligand binding.  
CELLULAR SIGNALLING 11: pp. 253-262. (1999)
32. Wunderlich L, Farago A, Buday L  
Characterization of interactions of Nck with Sos and dynamin.  
CELLULAR SIGNALLING 11: pp. 25-29. (1999)
33. Wunderlich L, Farago A, Downward J, Buday L  
Association of Nck with tyrosine-phosphorylated SLP-76 in activated T lymphocytes.  
EUROPEAN JOURNAL OF IMMUNOLOGY 29: pp. 1068-1075. (1999)
34. Sipeki S, Bander E, Buday L, Farkas G, Bacsy E, Ways DK, Farago A  
Phosphatidylinositol 3-kinase contributes to Erk1/Erk2 MAP kinase activation associated with  
hepatocyte growth factor-induced cell scattering.  
CELLULAR SIGNALLING 11: pp. 885-890. (1999)
35. Buday L  
Membrane-targeting of signalling molecules by SH2/SH3 domain-containing adaptor proteins.  
BIOCHIMICA ET BIOPHYSICA ACTA 1422: pp. 187-204. (1999)
36. Szaszi K, Buday L, Kapus A  
Shrinkage-induced protein tyrosine phosphorylation in Chinese hamster ovary cells.  
JOURNAL OF BIOLOGICAL CHEMISTRY 272: pp. 16670-16678. (1997)
37. Mocsai A, Banfi B, Kapus A, Farkas G, Geiszt M, Buday L, Farago A, Ligeti E  
Differential effects of tyrosine kinase inhibitors and an inhibitor of the mitogen-activated protein kinase  
cascade on degranulation and superoxide production of human neutrophil granulocytes  
BIOCHEMICAL PHARMACOLOGY 54: pp. 781-789. (1997)
38. Buday L  
Protein tirozin kinázokkal működő jelátvivő pályák  
1996. (MTA Doktora)
39. Buday L, Khwaja A, Sipeki S, Farago A, Downward J  
Interactions of Cbl with two adaptor proteins, Grb2 and Crk, upon T cell activation  
JOURNAL OF BIOLOGICAL CHEMISTRY 271:(11) pp. 6159-6163. (1996)
40. Buday L, Warne PH, Downward J  
Downregulation of the Ras activation pathway by MAP kinase phosphorylation of Sos.  
ONCOGENE 11: pp. 1327-1331. (1995)
41. Reif K, Buday L, Downward J, Cantrell DA

SH3 domains of the adapter molecule Grb2 complex with two proteins in T cells: the guanine nucleotide exchange protein Sos and a 75-kDa protein that is a substrate for T cell antigen receptor-activated tyrosine kinases.

JOURNAL OF BIOLOGICAL CHEMISTRY 269: pp. 14081-14087. (1994)

42. Pronk GJ, de Vries Smits AM, Buday L, Downward J, Maassen JA, Medema RH, Bos JL  
Involvement of Shc in insulin- and epidermal growth factor-induced activation of p21ras.  
MOLECULAR AND CELLULAR BIOLOGY 14: pp. 1575-1581. (1994)
43. Farkas G, Buday L, Csermely P, Faragó A  
Lipocortin I is not accessible for protein kinase C bound to the cytoplasmic surface of the plasma membrane in streptolysin-O-permeabilized pig granulocytes  
BIOCHIMICA ET BIOPHYSICA ACTA 1220: pp. 315-322. (1994)
44. Buday L  
Onkogének és tumor szuppresszor gének a növekedési faktorok jelatvivő pályáiban  
ORVOSI HETILAP 135: pp. 2579-2584. (1994)
45. Buday L, Egan SE, Rodriguez Viciano P, Cantrell DA, Downward J  
A complex of Grb2 adaptor protein, Sos exchange factor, and a 36-kDa membrane-bound tyrosine phosphoprotein is implicated in ras activation in T cells.  
JOURNAL OF BIOLOGICAL CHEMISTRY 269: pp. 9019-9023. (1994)
46. EGAN SE, GIDDINGS BW, BROOKS MW, BUDAY L, SIZELAND AM, WEINBERG RA  
ASSOCIATION OF SOS RAS EXCHANGE PROTEIN WITH GRB2 IS IMPLICATED IN TYROSINE KINASE SIGNAL TRANSDUCTION AND TRANSFORMATION  
NATURE 363:(6424) pp. 45-51. (1993)
47. BUDAY L, DOWNWARD J  
EPIDERMAL GROWTH-FACTOR REGULATES P21(RAS) THROUGH THE FORMATION OF A COMPLEX OF RECEPTOR, GRB2 ADAPTER PROTEIN, AND SOS NUCLEOTIDE EXCHANGE FACTOR  
CELL 73:(3) pp. 611-620. (1993)
48. Buday L, Downward J  
Epidermal growth factor regulates the exchange rate of guanine nucleotides on p21ras in fibroblasts.  
MOLECULAR AND CELLULAR BIOLOGY 13: pp. 1903-1910. (1993)
49. Hajnoczky G, Varnai P, Buday L, Farago A, Spat A  
THE ROLE OF PROTEIN-KINASE-C IN CONTROL OF ALDOSTERONE PRODUCTION BY RAT ADRENAL GLOMERULOSA CELLS - ACTIVATION OF PROTEIN-KINASE-C BY STIMULATION WITH POTASSIUM  
ENDOCRINOLOGY 130:(4) pp. 2230-2236. (1992)
50. Buday L, Farkas G, Farago A  
Synthetic oligopeptide substrates which fail to compete with H1 histone for type II and type III isoenzymes of protein kinase C.  
INTERNATIONAL JOURNAL OF BIOCHEMISTRY 24: pp. 777-782. (1992)
51. Bauer PI, Farkas G, Buday L, Mikala G, Meszaros G, Kun E, Farago A  
Inhibition of DNA binding by the phosphorylation of poly ADP-ribose polymerase protein catalysed by protein kinase C.  
BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS 187:(2) pp. 730-736. (1992)
52. Farkas G, Buday L, Antoni F, Farago A  
The 38 kDa Ca<sup>2+</sup>/membrane-binding protein of pig granulocytes needs a high Ca<sup>2+</sup> concentration to be phosphorylated by protein kinase C.  
BIOCHIMICA ET BIOPHYSICA ACTA 1091: pp. 81-86. (1991)
53. Buday L, Farago A  
Dual effect of arachidonic acid on protein kinase C isoenzymes isolated from rabbit thymus cells.  
FEBS LETTERS 276:(1-2) pp. 223-226. (1990)
54. Buday L

A protein kináz C izoenzimei különböző szövetekben  
111 p. 1990. (Kandidátus)

55. Farago A, Farkas G, Meszaros G, Buday L, Antoni F, Seprodi J  
Isoenzyme patterns of protein kinase C and a phospholipid-dependent but Ca<sup>2+</sup>-inhibited enzyme fraction in the crude extracts of different tissues.  
FEBS LETTERS 243:(2) pp. 328-332. (1989)
56. Buday L, Meszaros G, Farkas G, Seprodi J, Antoni F, Farago A  
Two components of type III protein kinase C with different substrate specificities and a phospholipid-dependent but Ca<sup>2+</sup>-inhibited protein kinase in rat brain.  
FEBS LETTERS 249:(2) pp. 324-328. (1989)
57. Buday L, Farkas G, Farago A  
The dominant substrate of protein kinase C in the extracts of pig granulocytes is a 38 kDa Ca<sup>2+</sup>/membrane binding protein.  
ACTA BIOCHIMICA ET BIOPHYSICA HUNGARICA 24: pp. 101-106. (1989)
58. Buday L, Seprodi J, Farkas G, Meszaros G, Romhanyi T, Banhegyi G, Mandl J, Antoni F, Farago A  
Proteolytic activation of protein kinase C in the extracts of cells treated for a short time with phorbol ester  
FEBS LETTERS 223:(1) pp. 15-19. (1987)
59. Romhanyi T, Seprodi J, Antoni F, Meszaros G, Buday L, Farago A  
The assay of the activity of protein kinase C with the synthetic oligopeptide substrate designed for histone kinase II.  
BIOCHIMICA ET BIOPHYSICA ACTA 888: pp. 325-331. (1986)